



Unit 8/2 Carson Road
Malaga WA 6090
P: 08 9248 9994
F: 08 9248 9995
E: sales@couplers.com.au
www.couplers.com.au

SECTION 1 1: LUBRICATION & GREASING

11.1	LUBRICATION & GREASING	371-384
	<u>GREASE NIPPLES</u>	372
	<u>GREASE TUBE, HOSE & FITTINGS</u>	375
	<u>GREASE FITTINGS</u>	376
	<u>SWIVELS & SIGHT GLASSES</u>	377
	<u>GREASE GUNS</u>	378
	<u>DRUM PUMPS</u>	379
	<u>NOZZLES</u>	380
	<u>METERS & FILTERS</u>	381
	<u>OIL SAFE CONTAINERS</u>	382



GREASE NIPPLES



THREAD BSP	STRAIGHT	45°	67.5°	90°
1/8"	AL/GN-BSP03-STR (L29)	AL/GN-BSP03-45 (LA34)	AL/GN-BSP03-67 (LA39)	AL/GN-BSP03-90 (LA44)
1/4"	AL/GN-BSP06-STR (L48)	AL/GN-BSP06-45 (LA52)	AL/GN-BSP06-67 (LA56)	AL/GN-BSP06-90 (LA60)

THREAD BSF	STRAIGHT	45°	67.5°	90°
1/4"	AL/GN-BSF06-STR (L1)	AL/GN-BSF06-45 (LA5)	AL/GN-BSF06-67 (LA8)	AL/GN-BSF06-90 (LA10)
5/16"	AL/GN-BSF08-STR (L12)	AL/GN-BSF08-45 (LA16)	-	AL/GN-BSF08-90 (LA24)
3/8"	AL/GN-BSF10-STR (L31)	AL/GN-BSF10-45 (LA35)	AL/GN-BSF10-67 (LA41)	-

THREAD BSW	STRAIGHT	45°	67.5°	90°
1/4"	AL/GN-BSW06-STR (L2)	AL/GN-BSW06-45 (LA6)	AL/GN-BSW06-67 (LA9)	AL/GN-BSW06-90 (LA11)
5/16"	AL/GN-BSW08-STR (L13)	-	-	-

THREAD NPT	STRAIGHT	45°	67.5°	90°
1/8"	AL/GN-NPT03-STR (L28)	AL/GN-NPT03-45 (LA138)	AL/GN-NPT03-67 (LA37)	AL/GN-NPT03-90 (LA43)
1/4"	AL/GN-NPT06-STR (L47)	AL/GN-NPT06-45 (LA51)	AL/GN-NPT06-67 (LA55)	AL/GN-NPT06-90 (LA59)

THREAD UNF SAE	STRAIGHT	45°	67.5°	90°
1/4"	AL/GN-UNF06-STR (L185)	AL/GN-UNF06-45 (LA187)	AL/GN-UNF06-67 (LA188)	AL/GN-UNF06-90 (LA189)
5/16"	AL/GN-UNF08-STR (L190)	AL/GN-UNF08-45 (LA192)	AL/GN-UNF08-67 (LA193)	AL/GN-UNF08-90 (LA194)
3/8"	AL/GN-UNF10-STR (L195)	AL/GN-UNF10-45 (LA197)	AL/GN-UNF10-67 (LA198)	AL/GN-UNF10-90 (LA199)

11

GREASE NIPPLES

THREAD METRIC	STRAIGHT	45°	90°
6mm x 0.75	AL/GN-M06x0.75-STR (L6075)	-	-
6mm x 1	AL/GN-M06x1-STR (L161)	AL/GN-M06x1-45 (LA168)	AL/GN-M06x1-90 (LA165)
8mm x 1	AL/GN-M08x1-STR (L162)	AL/GN-M08x1-45 (LA172)	AL/GN-M08x1-90 (LA169)
8mm x 1.25	AL/GN-M08x1.25-STR (L15)	AL/GN-M08x1.25-45 (LA19)	AL/GN-M08x1.25-90 (LA27)
10mm x 1	AL/GN-M10x1-STR (L200)	AL/GN-M10x1-45 (LA203)	AL/GN-M10x1-90 (LA204)
10mm x 1.5	AL/GN-M10x1.5-STR (L205)	AL/GN-M10x1.5-45 (LA206)	AL/GN-M10x1.5-90 (LA207)



BUTTON HEAD	STRAIGHT
1/8" BSP	AL/GN-BH-BSP03-STR (LT46)
1/4" BSP	AL/GN-BH-BSP06-STR (LT52)
1/8" NPT	AL/GN-BH-NPT03-STR (LT324)
6mm x 1	AL/GN-BH-M6x1-STR (LT610)
8mm x 1	AL/GN-BH-M8x1-STR (LT810)
10mm x 1	AL/GN-BH-M10x1-STR (LT1010)



SELF TAPPING	STRAIGHT
1/4" UNF	AL/GN-ST-UNF06-STR (L310)
1/8" NPT	AL/GN-ST-NPT03-STR (L311)
6mm x 1	AL/GN-ST-M06x1-STR (L163)
8mm x 1	AL/GN-ST-M08x1-STR (L971)
10mm x 1	AL/GN-ST-M10x1-STR (L981)



DRIVE FIT	STRAIGHT	STRAIGHT NO BALL
3/16"	AL/GN-DRF05-STR (L645)	AL/GN-DRF05-STR-NB (L143)
1/4"	AL/GN-DRF06-STR (L78)	AL/GN-DRF06-STR-NB (L77)
5/16"	AL/GN-DRF08-STR (L79)	AL/GN-DRF08-STR-NB (L80)
6mm	AL/GN-DRFM06-STR (L201)	-
8mm	AL/GN-DRFM08-STR (L202)	-

GREASE NIPPLES

GREASE NIPPLE KITS



PART NUMBER	DESCRIPTION	NUMBER OF GREASE NIPPLES
AL/GN-L4674	AGRICULTURAL GREASE NIPPLE KIT	120
AL/GN-L4675	IMPERIAL GREASE NIPPLE KIT	101
AL/GN-L4676	METRIC GREASE NIPPLE KIT	100

GREASE NIPPLE ACCESSORIES



PART NUMBER	DESCRIPTION
AL/GN-6000	THREAD TESTER FOR GREASE NIPPLES
AL/GN-PL-CAP	GREASE NIPPLE DUST CAP PLASTIC

GREASE NIPPLE EXTENSION



PART NUMBER	FEMALE	MALE
AL/72-BSF03-M6x1	1/8" BSP	M6x1
AL/72-BSF03-UNM06	1/8" BSP	1/4" UNF
AL/72-BSF06-UNM06	1/4" BSP	1/4" UNF
AL/72-M06x1-M10x1	6mm x 1	10mm x 1
AL/72-M08x1-M10x1	8mm x 1	10mm x 1
AL/72-M10x1-M10x1	10mm x 1	10mm x 1
AL/72-ST-BSF03-UNM06	1/8" BSP	1/4" UNF
AL/72-ST-UNF06-M10x1	1/4" UNF	10mm x 1

HEADER BLOCK



PART NUMBER	DESCRIPTION
AL/HB-6131	ONE POINT HEADER BLOCK
AL/HB-6132	TWO POINT HEADER BLOCK
AL/HB-6133	THREE POINT HEADER BLOCK
AL/HB-6134	FOUR POINT HEADER BLOCK
AL/HB-6135	FIVE POINT HEADER BLOCK
AL/HB-6136	SIX POINT HEADER BLOCK

GREASE TUBE, HOSE & FITTINGS

GREASE TUBE & HOSE

Available either prefilled with grease (full) or empty. Tube is to be used with compression / quick fit style fittings, hose to be used with reusable style fittings



PART NUMBER	PRODUCT	EMPTY / FULL
AL/HOSE-M06-E	6mm TUBE	EMPTY
AL/HOSE-M06-F	(Pressure Rating: 84 bar)	FULL
AL/HOSE-008-E	8.3mm HOSE	EMPTY
AL/HOSE-008-F	(Pressure Rating: 840 bar)	FULL

6mm TUBE COMPRESSION FITTINGS



SIZE	STRAIGHT	90°
6mm TUBE x 1/8" BSP	AL/03-M06-BSP03	AL/05-M06-BSP03
6mm TUBE x 6mm x 1	AL/03-M06-M06x1	AL/05-M06-M06x1
6mm TUBE x 8mm x 1	AL/03-M06-M08x1	AL/05-M06-M08x1
6mm TUBE x 10mm x 1	AL/03-M06-M10x1	AL/05-M06-M10x1

6mm TUBE QUICK FIT FITTINGS



SIZE	STRAIGHT	90°
6mm TUBE x 1/8" BSP	AL/QF03-M06-BSP03	AL/QF05-M06-BSP03
6mm TUBE x 6mm x 1	AL/QF03-M06-M06x1	-
6mm TUBE x 8mm x 1	-	AL/QF05-M06-M08x1
6mm TUBE x 10mm x 1	AL/QF03-M06-M10x1	-

8.3mm REUSABLE HOSE FITTINGS



PART NUMBER	TYPE	SIZE
AL/RF-08	FERRULE	8.3mm
AL/RTB-JSF-0807		8.3mm x 7/16" JIC
AL/RTB-STUD-0806-18	STRAIGHT	8.3mm x 6mm STUD x 18mm long
AL/RTB-STUD-0806-30		8.3mm x 6mm STUD x 30mm long
AL/RTB-STUD-45S-0806	45° ELBOW	8.3mm x 6mm STUD
AL/RTB-JSF-90S-0807		8.3mm x 7/16" JIC
AL/RTB-STUD-90S-0806-33	90° ELBOW	8.3mm x 6mm STUD x 33mm long
AL/RTB-STUD-90S-0806-38		8.3mm x 6mm STUD x 38mm long
AL/RTB-STUD-90S-0806-50		8.3mm x 6mm STUD x 50mm long

GREASE FITTINGS

GREASE GUN FLEXIBLE HOSES (14,500psi BURST PRESSURE)



PART NUMBER	DESCRIPTION
AL/EXT-14551	300mm FLEXIBLE EXTENSION POLYAMIDE HOSE
AL/EXT-14552	450mm FLEXIBLE EXTENSION POLYAMIDE HOSE
AL/EXT-14553	700mm FLEXIBLE EXTENSION POLYAMIDE HOSE

GREASE GUN COUPLERS

	PART NUMBER	DESCRIPTION
	AL/COUP-14513	STANDARD DUTY COUPLER 16mm DIAMETER x 1/8" FEMALE BSP
	AL/COUP-14506	STANDARD BUTTON HEAD PULL-ON COUPLER x 1/8" FEMALE BSP
	AL/COUP-14507	STANDARD BUTTON HEAD PUSH-ON SWIVEL COUPLER x 1/8" FEMALE BSP
	AL/COUP-14002	GIANT BUTTON HEAD PULL ON COUPLER x 1/8" FEMALE BSP
	AL/COUP-14512	QUICK RELEASE GREASE COUPLER x 1/8" FEMALE BSP

SWIVELS & SIGHT GLASSES

SWIVELS






PART NUMBER	TYPE	SIZE
AL/SWL-020	SINGLE PLANE M/F	3/4" BSP
AL/SWL-2025		3/4" x 1" BSP
AL/SWL-025		1" BSP
AL/SWL-032		1.1/4" BSP
AL/SWL-038	DUAL PLANE M/F	1.1/2" BSP
AL/SWL-020-DP		3/4" BSP
AL/SWL-025-DP		1" BSP
AL/SWL-414300	Z-PLANE M/F	1/4" BSP

SIGHT GLASSES



PART NUMBER	SIZE	MATERIAL
AL/SGA-010	3/8" BSPP	ALUMINIUM
AL/SGA-012	1/2" BSPP	ALUMINIUM
AL/SGP-012		PLASTIC
AL/SGA-020	3/4" BSPP	ALUMINIUM
AL/SGP-020		PLASTIC
AL/SGA-025	1" BSPP	ALUMINIUM

GREASE & OIL CONTROL VALVES

PART NUMBER	DESCRIPTION
 AL/VAL-413077	GREASE CONTROL VALVE RIGID OUTLET AND 3 JAW COUPLER 1/4" FEMALE BSP
 AL/VAL-363114	OIL CONTROL VALVE HEAVY DUTY VALVE, 1/2" FEMALE BSP INLET, 22 lpm FLEXIBLE OUTLET HOSE NON-DRIP TIP, AUTOMATICALLY OPENS, MANUAL CLOSE
 AL/VAL-7498-C	OIL CONTROL VALVE DELIVERY RATES OF UP TO 40 lpm BUILT IN 1/2" NPT FEMALE SWIVEL









GREASE GUNS

GREASE GUNS

	PART NUMBER	DESCRIPTION
	AL/GUN-440A	GREASE GUN TRIGGER ACTION 400 GRAM DEVELOPS GREASE PRESSURE UP TO 3,500psi 350mm FLEXIBLE EXTENSION & 4 JAW COUPLER
	AL/GUN-600A	GREASE GUN LEVER ACTION 450 GRAM DEVELOPS GREASE PRESSURE UP TO 12,000psi DELIVERS UP TO 1.6g OF GREASE PER STROKE 150mm RIGID EXTENSION & 4 JAW COUPLER
	AL/GUN-660AN	GREASE GUN TRIGGER ACTION 450 GRAM DEVELOPS GREASE PRESSURE UP TO 8,500psi DELIVERS UP TO 1.1g OF GREASE PER STROKE 300mm FLEXIBLE EXTENSION & 4 JAW COUPLER
	AL/GUN-670AN3	GREASE GUN 18V CORDLESS 450 GRAM DEVELOPS GREASE PRESSURE UP TO 8,000psi DELIVERS UP TO 170 GRAMS/MIN UP TO 24 x 450g CARTRIDGES BEFORE RECHARGE ERGONOMIC & LIGHTWEIGHT AT 3.5kg
	AL/GUN-680AN	GREASE GUN AIR OPERATED DEVELOPS GREASE PRESSURE UP TO 3,920psi PRESSURE RATIO OF 40:1, RECOMMENDED MAX 98psi 500mm FLEXIBLE EXTENSION & 4 JAW COUPLER
	AL/GUN-G10010N	GREASE GUN ECONOMY TRIGGER ACTION DEVELOPS GREASE PRESSURE UP TO 4,000psi SUITABLE FOR 450g CARTRIDGE & BULK GREASE 300mm FLEXIBLE EXTENSION & 4 JAW COUPLER
	AL/GUN-G10050N	GREASE GUN MINI PISTOL DEVELOPS GREASE PRESSURE UP TO 3,500psi SUITABLE FOR 85g CARTRIDGE & BULK GREASE 150mm RIGID EXTENSION & 4 JAW COUPLER





DRUM PUMPS

HAND OPERATED DRUM PUMPS


	PART NUMBER	DESCRIPTION
	AL/DP-8828N2	OIL TRANSFER DRUM PUMP - 20L GEAR & ENGINE OIL DRUM PUMP WITH HOSE REIKE ADAPTOR & DOWNTUBE EXTENSION DELIVERS UP TO 110ml / STROKE
	AL/DP-8878N	OIL TRANSFER DRUM PUMP - 60L GEAR & ENGINE OIL DRUM PUMP WITH HOSE DELIVERS 70mls ON THE DOWN STROKE
	AL/DP-306401	GEAR OIL PUMP LEVER ACTION - 205L INCLUDES CLEAR HOSE & ON/OFF NOZZLE 100cc PER STROKE 3/4" BSP MALE OUTLET THREAD
	AL/DP-501A	ROTARY DRUM PUMP - 60L & 205L - 18LPM ZINC ALLOY IMPELLERS & 2.2m FARM TANK HOSE TRANSFER OF DIESEL, FUEL, PETROL, KEROSENE, UNLEADED PETROL & LOW VISCOSITY OIL
	AL/DP-5060A	ROTARY DRUM PUMP - 60L & 205L - 100LPM 2.4m OF UV & FUEL RESISTANT HOSE & NOZZLE TRANSFER OF DIESEL, FUEL, PETROL, & KEROSENE
	AL/DP-401A	ROTARY DRUM PUMP - 60L & 205L - 20LPM RYTON & STAINLESS STEEL TRANSFER OF CHEMICALS & SOLVENTS
	AL/DP-301A	ROTARY DRUM PUMP - 60L & 205L - 20LPM POLYPROPYLENE, TEFLON & STAINLESS STEEL TRANSFER OF HERBICIDES, PESTICIDES & CHEMICALS
	AL/DP-230	SYPHON DRUM PUMP - 60L & 205L - 20LPM HIGH DENSITY & LOW DENSITY POLYETHYLENE 875mm PICK UP TUBE & 1.2m DELIVERY HOSE FOR PETROL, DIESEL, KEROSENE, THINNERS, TOLUENE, NITRIC ACID 35%, HYDROCHLORIC ACID 35%, SULPHURIC ACID 35%, ACETIC ACID 35%, OTHER MILD CHEMICALS & WATER

NOZZLES



DIESEL NOZZLES

	PART NUMBER	DESCRIPTION
	AL/NOZ-52007	MANUAL FARM TANK NOZZLE SUITABLE FOR DIESEL GRAVITY FEED & APPLICATIONS UP TO 140psi 1" FEMALE BSP SWIVEL 150LPM
	AL/NOZ-51009N	MANUAL NOZZLE SUITABLE FOR DIESEL 1.1/2" FEMALE BSP SWIVEL 230LPM
	AL/NOZ-51037	AUTO SHUT OFF NOZZLE SUITABLE FOR DIESEL NOT SUITABLE FOR GRAVITY FEED 1" FEMALE BSP SWIVEL 60LPM
	AL/NOZ-51039	AUTO SHUT OFF NOZZLE SUITABLE FOR DIESEL 1.1/2" FEMALE BSP SWIVEL 280LPM

PETROL NOZZLES




	PART NUMBER	DESCRIPTION
	AL/NOZ-52155	MANUAL FARM TANK NOZZLE SUITABLE FOR UNLEADED FUEL GRAVITY FEED & APPLICATIONS UP TO 140psi 1" FEMALE BSP SWIVEL 150LPM

PLASTIC NOZZLES


	PART NUMBER	DESCRIPTION
	AL/NOZ-630010	MANUAL PLASTIC NOZZLE (PIUSI) SUITABLE FOR WATER & SOME FOODS, AS WELL AS THE TRANSFER OF DIESEL, UNLEADED PETROL & OIL 1" HOSETAIL INLET 80LPM
	AL/NOZ-147610	MANUAL PLASTIC NOZZLE (PIUSI ADBLUE) SUITABLE FOR THE DISPENSING OF UREA HIGHLY EFFICIENT WITH LOW FLOW RESISTANCE 3/4" HOSETAIL INLET 80LPM

METERS & FILTERS

FUEL & FLUID METERS

	PART NUMBER	DESCRIPTION
	AL/MET-01A12LM	GPI ELECTRONIC FUEL METER SUITABLE FOR USE WITH DIESEL FLOW RATES BETWEEN 15LPM & 100LPM IDEAL FOR USE BETWEEN DELIVERY HOSE & FUEL NOZZLE 1" FEMALE BSP INLET & OUTLET
	AL/MET-407010N	INLINE ELECTRONIC FUEL METER POLYAMIDE BODY & POLYPROPYLENE TURBINE MAXIMUM FLOW RATE UP TO 120LPM 1" FEMALE BSP INLET & OUTLET
	AL/MET-51008	MECHANICAL FUEL METER SUITABLE FOR USE WITH DIESEL, PETROL & KEROSENE FLOW RATES BETWEEN 20LPM & 120LPM MAXIMUM PRESSURE: 50psi 1" FEMALE BSP INLET & OUTLET

FUEL FILTERS

	PART NUMBER	DESCRIPTION
	AL/FILT-FA2N	FOR USE WITH REGULAR GRADES OF GASOLINE, DIESEL FUEL AND ETHANOL ONLY 10 MICRON FUEL FILTER ELEMENT DO NOT EXCEED 100psi 1" FEMALE BSP INLET & OUTLET







OIL SAFE CONTAINERS

OIL SAFE DRUMS



PART NUMBER	SIZE
OS/DRUM-1.5	1.5L
OS/DRUM-2.0	2.0L
OS/DRUM-3.0	3.0L
OS/DRUM-5.0	5.0L
OS/DRUM-10	10.0L

OIL SAFE LIDS

	PART NUMBER	TYPE OF LID	DESCRIPTION
	OS/LID-STUMPY	STUMPY SPOUT	WIDE SPOUT MODEL 1" OPENING. ESPECIALLY DESIGNED FOR APPLICATIONS WHERE A HIGHER LUBRICANT FLOW IS REQUIRED.
	OS/LID-STRETCH	STRETCH SPOUT	DESIGNED FOR USE WHERE PRECISE POURING OF LUBRICANTS IS REQUIRED. 1/2" OPENING AND LONG SPOUT, THIS IS IDEAL FOR LOWER VISCOSITY OILS.
	OS/LID-MINI	MINI SPOUT	OUTLET DIAMETER OF APPROXIMATELY 1/4", THIS MINI SPOUT IS IDEAL FOR LUBRICATION JOBS WHERE FILLER HOLES ARE SMALL.
	OS/LID-UTILITY	UTILITY	MULTIPURPOSE LID WITH LARGE 2" OUTLET HOLE ENSURES CONTROLLED FAST POURING OF LUBRICANTS. MATCH THIS WITH THE STANDARD PUMP ON THE 3L, 5L, OR 10L DRUM.
	OS/LID-STORAGE	STORAGE	WITH THIS LID, DRUMS CAN BE PREFILLED FOR STORAGE OR EASIER TRANSPORTATION.
	OS/PUMP-STD	STANDARD PUMP	USE WITH UTILITY LID ON 3L, 5L OR 10L DRUM

ALL LIDS AVAILABLE IN 10 COLOURS
 BEIGE - BLACK - BLUE - DARK GREEN - GREY - MID GREEN - ORANGE - PURPLE - RED - YELLOW

ALSO AVAILABLE

*DRUM SPILL CONTAINMENT
(AL/SPILL)*



*GREASE KITS
(AL/KIT)*



*TANKS
(AL/TANK)*



*REFUELLING KITS
(AL/KIT)*



*PUMPS & PUMP KITS
(AL/PUMP)*



*PLASTIC OIL MEASURE
(AL/X)*



*WORKSHOP LIGHT
(AL/LIGHT)*



*DIAPHRAGM PUMPS
(AL/PUMP-NDP)*



